

HENKEL LOCTITE CORPORATION

12/01/02

ROCKY HILL, CONNECTICUT 06067
EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 01 of 05

Loctite(R) 242(R) Threadlocker
24243**XEROX MSDS#: I-0907****XEROX PART#: 63P306*, 63P596, 63H24* 63P49*, 63P217*,
63P226*, 63P454, 63P483*, 63P562****Included in kits:****600S4562, 600S00453, 600S01978, 600S050813, 600S06986,
600S07264*****Cancelled**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Loctite(R) 242(R) Threadlocker
Medium Strength
Item No.: 24243
Product Type: Anaerobic

2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredients	CAS No.	%
Polyglycol dimethacrylate	25852-47-5	60-65
Polyglycol oleate	9004-96-0	25-30
Saccharin	81-07-2	3-5
CUMENE HYDROPEROXIDE*	80-15-9	1-3
Propylene glycol	57-55-6	1-3
SILICA, AMORPHOUS, FUMED, CRYSTALLINE-FREE	112945-52-5	1-3
N,N-Dialkyltoluidines	613-48-9	0.1-1
TITANIUM DIOXIDE	13463-67-7	0.1-0.5

* This component is listed as a SARA Section 313 Toxic Chemical.

Ingredients which have exposure limits

Exposure Limits (TWA) Ingredients	ACGIH (TLV)	OSHA (PEL)	OTHER
CUMENE HYDROPEROXIDE	None	None	1ppm(6mg/m3) Skin(WHEEL)
SILICA, AMORPHOUS, FUMED, CRYSTALLINE-FREE	10 mg/m3 TWA	6 mg/m3 TWA	3 mg/m3 TWA resp. dust
TITANIUM DIOXIDE	10 mg/m3	15 mg/m3 Total dust	None
Exposure Limits (STEL) Ingredients	ACGIH (TLV)	OSHA (PEL)	

3. HAZARDS IDENTIFICATION

Toxicity: Mild eye irritant. Propylene glycol is a mild skin irritant.
 Primary Routes of Entry: Eye, skin contact.
 Signs and Symptoms of Exposure: May cause dermatitis on prolonged contact in sensitive individuals.

HENKEL LOCTITE CORPORATION

12/01/02

ROCKY HILL, CONNECTICUT 06067
 EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 02 of 05

Product Name: Loctite(R) 242(R) Threadlocker
 Medium Strength
 Item No.: 24243

3. HAZARDS IDENTIFICATION

(continued)

Existing Conditions

Aggravated by Exposure: Propylene glycol: dermatitis.

Ingredients	Literature Referenced Target Organ and Other Health Effects	Carcinogen		
		NTP	IARC	OSHA
Polyglycol dimethacrylate	ALG IRR	NO	NO	NO
Polyglycol oleate	IRR	NO	NO	NO
Saccharin	NTO	NO	N/A	NO
CUMENE HYDROPEROXIDE	ALG CNS COR IRR MUT	NO	NO	NO
Propylene glycol	IRR	NO	NO	NO
SILICA, AMORPHOUS, FUMED, CRYSTALLINE-FREE	NUI	NO	N/A	NO
N,N-Dialkyltoluidines	NTO	NO	NO	NO
TITANIUM DIOXIDE	IRR RES	NO	NO	NO

Abbreviations

N/A Not Applicable	ALG Allergen
CNS Central nervous system	COR Corrosive
IRR Irritant	MUT Mutagen
NTO No Target Organs	NUI Nuisance dust
RES Respiratory	

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting. Keep individual calm. Obtain medical attention.

Inhalation: Does not apply.

Skin Contact: Wash thoroughly with soap and water.

Eye Contact: Flush at least 15 minutes with water. Obtain medical attention.

5. FIRE FIGHTING MEASURES

Flash Point: More than 200°F Method: Tag Closed Cup
Recommended

Extinguishing Agents: Carbon dioxide, foam, dry chemical

Special Firefighting Procedures: Not available

Hazardous Products formed by Fire or Thermal Decomp: Irritating organic vapors; oxides of carbon.

Unusual Fire or Explosion Hazards: None

HENKEL LOCTITE CORPORATION

12/01/02

ROCKY HILL, CONNECTICUT 06067
EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 03 of 05

Product Name: Loctite(R) 242(R) Threadlocker
Medium Strength

Item No.: 24243

5. FIRE FIGHTING MEASURES

(continued)

Explosive Limits:

(% by volume in air)Lower Propylene glycol: 2.6%

(% by volume in air)Upper Propylene glycol: 12.5%

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case of spill or leak: Soak up in an inert absorbant. Store in a partly filled, closed container until disposal.

7. HANDLING AND STORAGE

Safe Storage: Store below 100°F
(Contact Loctite Customer Service 1-800-243-4874 for shelf life information)

Handling: Avoid prolonged skin contact. Keep away from eyes.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eyes: Safety glasses or goggles.
Skin: Neoprene, rubber, or butyl rubber gloves.
Ventilation: Does not apply
Respiratory: Does not apply.

See Section 2 for Exposure Limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Blue liquid
Odor: Mild
Boiling Point: More than 300°F
pH: Does not apply
Solubility in Water: Slight
Specific Gravity: 1.1 at 75°F
Volatile Organic Compound
(EPA Method 24) 4.478%; 49.3 grams per liter
Vapor Pressure: Less than 5mm at 80°F
Vapor Density: Not available
Evaporation Rate
(Ether = 1) Not available

10. STABILITY AND REACTIVITY

Stability: Stable
Hazardous Polymerization: Will not occur
Incompatibility: Strong oxidizers, free radical initiators, inert gases.
Conditions to Avoid: None known.

HENKEL LOCTITE CORPORATION

12/01/02

ROCKY HILL, CONNECTICUT 06067
EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 04 of 05

Product Name: Loctite(R) 242(R) Threadlocker
Medium Strength
Item No.: 24243

10. STABILITY AND REACTIVITY

(continued)

Hazardous Decomposition

Products (non-thermal): None

11. TOXICOLOGICAL INFORMATION

Oral LD50 more than 10000 mg/kg.
Dermal LD50 more than 5000 mg/kg.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended methods of disposal: Incinerate following EPA and local regulations.
EPA Hazardous Waste Number: NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49 CFR 172)

Domestic Ground Transport

Proper Shipping Name: Unrestricted
Hazard Class or Division: Unrestricted
Identification Number: None
Marine Pollutant: None

IATA

Proper Shipping Name: Unrestricted
Class or Division: Unrestricted
UN or ID Number: None

15. REGULATORY INFORMATION

CA Proposition 65: No California Proposition 65 chemicals are known to be present.

16. OTHER INFORMATION

Estimated NFPA(R) Code:

Health Hazard: 1
Fire Hazard: 1
Reactivity Hazard: 1
Specific Hazard: Does not apply

Estimated HMIS(R) Code:

HENKEL LOCTITE CORPORATION

12/01/02

ROCKY HILL, CONNECTICUT 06067
EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 05 of 05

Product Name: Loctite(R) 242(R) Threadlocker
Medium Strength
Item No.: 24243

16. OTHER INFORMATION

(continued)

Health Hazard: 1*
Flammability Hazard: 1
Reactivity Hazards: 1
Personal Protection: See Section 8.

NFPA is a registered trademark of the National Fire Protection Assn.
HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By: Stephen Repetto
Title: Research Chemist - Health & Regulatory Affairs
Company: Loctite Corporation
1001 Trout Brook Crossing, Rocky Hill CT 06067
(24hr.) Phone: (860) 571-5100
Revision Date: January 27, 1999

Revision: 0033

[application assistance](#) . [browse catalog](#) . [troubleshooting](#) . [equipment datasheets](#) . [distributor locator](#) . [what's new](#) . [career opportunities about loctite](#) . [contact loctite](#) . [literature](#) . [loctite world wide](#) . [search](#) . [home](#)

copyright © 1997-2000 Loctite