

GILLETTE MEDICAL EVALUATION LA -- LIQUID PAPER CORRECTION FLUID (LPCF-19-1)

=====
MSDS Safety Information
=====

FSC: 7510

NIIN: 00-176-8949

MSDS Date: 08/03/1994

MSDS Num: CKZTH

Product ID: LIQUID PAPER CORRECTION FLUID (LPCF-19-1)

MFN: 01

Responsible Party

Cage: TO597

Name: GILLETTE MEDICAL EVALUATION LABORATORIES

Address: 401 PROFESSIONAL DRIVE

City: GAITHERSBURG MD 20879

*Info Phone Number: 301-590-9781

Emergency Phone Number: 000000000

Review Ind: Y

Published: Y
=====

Contractor Summary
=====

Cage: TO597

Name: GILLETTE MEDICAL EVALUATION LABORATORIES

Address: 401 PROFESSIONAL DRIVE

City: GAITHERSBURG MD 20879

Phone: 301-590-9781
=====

Item Description Information
=====

Item Manager: GSA

Item Name: CORRECTION FLUID, OPAQUE COATING

Specification Number: A-A 212B

Type/Grade/Class: II

Unit of Issue: DZ

UI Container Qty: 0
=====

Ingredients

=====

Cas: 13463-67-7

RTECS #: XR2275000

Name: TITANIUM DIOXIDE

Cas: 64742-89-8

Name: SOLVENT NAPHTHA

Cas: 64741-65-7

Name: MINERAL SPIRITS

Cas: 57-06-7

RTECS #: NX8225000

Name: MUSTARD OIL

RTECS #: TS1003232

Name: RESIN DISPERSANT COLORANT

RTECS #: TS1003232

Name: MASKING FRAGRANCE

=====

Health Hazards Data

=====

Effects of Exposure: INHALATION:NO EFFECTS FROM NORMAL USE.IF DELIBERATELY
CONCENTRATED/INHALED (ABUSE),SYMPTOMS MAY OCCUR:RESPIRATORY

IRRITATION,DIZZINESS,DROWSINESS,HEADACHE,NAUSEA,UNCONSCIOUSNESS,CONVUL
SIONS,CA

RDIAC SEN SINATION,COMA AND DEATH.(MUSTARD OIL-ADDED PRODUCT AS AN
ABUSE

DETERRENT.) INGESTION:NO ADVERSE EFFECTS FROM NORMAL USE.DEPENDING ON
AMMOUNT

INGESTED, THE SYMPTOMS DESCRIBED MAY OCCUR.CONTACT:NO EFFEC TS FROM
NORMAL

USE.IRRITATION MAY OCCUR IF THE CONTACT IS
PROLONGED/REPEATED.ABSORPTION:NO

EFFECTS FROM NORMAL USE.SOLVENT CAN BE ABSORBED THROUGH SKIN(PROLONGED CONTACT), BUT NOT LIKELY IN TOXIC AMMO UNTS. IF SPLASHED INTO EYE MAY IRRITATE.

First Aid: EYES: FLUSH WITH PLENTY OF WATER. IF IRRITATION PERSISTS, OBTAIN MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INHALATION: IN ABUSE SITUATION, REMOVE FROM SOURCE OF EXPOSURE. TREAT SYMPTOMATICALL Y. OXYGEN MAY BE ADMINISTERED. SEEK MEDICAL ATTENTION IMMEDIATELY AND REFER TO "NOTES TO PHYSICIAN". INGESTION: CALL PHYSICIAN.

=====

Handling and Disposal

=====

Spill Release Procedures: PICK UP SPILLS WITH TOWELS, TISSUES, ETC.

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH AOOLICABLE FEDERAL, STATE AND LOCAL LAWS.

Handling And Storage Precautions: PRODUCT IS FLAMMABLE. NO UNUSUAL HANDLING OR STORAGE WHEN USED AS DIRECTED. WHEN STORED IN LARGE QUANTITIES (AS IN WAREHOUSE), IT SHOULD BE IN A WELL-VENTILATED, COOL AREA, AWAY FROM IGNITION SOURCES.

Other Precautions: NOTES TO PHYSICIAN: CONTAINS SOLVENT NAPHTHA AND MINERAL SPIRITS WICH, IF ASPIRATED, MAY CAUSE CHEMICAL PNEUMONITIS. THE INHALATION OF CONCENTRATED VAPORS MAY PRODUCE CARDIAC SENSITIZATION, CONTRAINDI CATING THE USE OF SYMPATHOMIMETIC AGENTS.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: CC

Flash Point: =-3.6C, 25.5F

Flash Point Text: 25.5 F

Lower Limits: 1

Upper Limits: 8

Extinguishing Media: DRY CHEMICAL, FOAM, CARBON DIOXIDE.

Fire Fighting Procedures: IN FIRES INVOLVING LARGE KQUANTITIES OF PRODUCT, USE
SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS WITH
WATER
FOG/SPRAY.

=====
Control Measures
=====

Supplemental Safety and Health: PRODUCT IS NON-HAZARDOUS WHEN USED LKAS
DIRECTED IN AN OFFICE/ROOM WITH NORMAL AIR CIRCULATION.

=====
Physical/Chemical Properties
=====

Boiling Point: =98.3C, 209.F

B.P. Text: 209-230 F 98-110 C

Vapor Pres: @100 F 124 MM HG

Vapor Density: 3.3

Spec Gravity: 1.29

Evaporation Rate & Reference: BUYTL ACETATE=1 3.6

Solubility in Water: NEGLIGIBLE

Appearance and Odor: WHITE FLUID WITH A PUNGENT SOLVENT ODOR

Percent Volatiles by Volume: -40

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: PRODUCT IS FLAMMABLE. AVOID CONTACT WITH OPEN
FLAME OR OTHER IGNITION SOURCES.

Materials To Avoid: STRONG OXIDIZERS.

Hazardous Decomposition Products: THERMAL DEGRADATION MAY PRODUCE OXIDES OF
CARBON AND NITROGEN AND VARIOUS HYDROCARBONS.

Hazardous Polymerization Indicator: NO

=====
Toxicological Information
=====

Toxicological Information: 8-HOUR TWA'S: RUBBER SOLVENT (NAPHTHA)- 400 PPM
(ACGIH) RECOMMENDED. TITANIUM DIOXIDE- 10 MG/CU M (OSHA/ACGIH) THESE
LEVELS

ARE NOT ANTICIPATED UNDER FORESEEABLE USE CONDITIONS. ESTIMATED LD50 IN RATS IS GREATER THAN 5 ML/KG OR BETWEEN 1 PINT AND 1 QUART IN HUMANS. ASPIRATION MAY RESULT IN CHEMICAL PNEUMONITIS.

=====
MSDS Transport Information
=====

Transport Information: DOT SHIPPING NAME- CONSUMER COMMODITY
=====

Other Information
=====

Other Information: THE INFORMATION IN THE MATERIAL SAFETY DATA SHEET IS BASED ON DATA CONSIDERED TO BE ACCURATE, HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

=====
Transportation Information
=====

Responsible Party Code: TO597
Trans ID NO: 156270
Product ID: LIQUID PAPER CORRECTION FLUID (LPCF-19-1)
MSDS Prepared Date: 08/03/1994
Review Date: 04/24/2000
MFN: 1
Multiple KIT Number: 0
Unit Of Issue: DZ
Container QTY: 0
=====

Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information

=====
IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label
=====

Product ID: LIQUID PAPER CORRECTION FLUID (LPCF-19-1)

Cage: TO597

Assigned IND: Y

Company Name: GILLETTE MEDICAL EVALUATION LABORATORIES

Street: 401 PROFESSIONAL DRIVE

City: GAITHERSBURG MD

Zipcode: 20879

Health Emergency Phone: 000000000

Label Required IND: Y

Date Of Label Review: 03/15/2001

Status Code: A

Origination Code: G

Hazard And Precautions: INHALATION:NO EFFECTS FROM NORMAL USE.IF DELIBERATELY
CONCENTRATED/INHALED (ABUSE),SYMPTOMS MAY OCCUR:RESPIRATORY

IRRITATION,DIZZINESS,DROWSINESS,HEADACHE,NAUSEA,UNCONSCIOUSNESS,CONVUL
SIONS,CA

RDIAC SEN SITUATION,COMA AND DEATH.(MUSTARD OIL-ADDED PRODUCT AS AN
ABUSE

DETERRENT.) INGESTION:NO ADVERSE EFFECTS FROM NORMAL USE.DEPENDING ON
AMMOUNT

INGESTED, THE SYMPTOMS DESCRIBED MAY OCCUR. CONTACT: NO EFFECTS FROM
NORMAL
USE. IRRITATION MAY OCCUR IF THE CONTACT IS
PROLONGED/REPEATED. ABSORPTION: NO
EFFECTS FROM NORMAL USE. SOLVENT CAN BE ABSORBED THROUGH
SKIN (PROLONGED
CONTACT), BUT NOT LIKELY IN TOXIC AMMO UNITS. IF SPLASHED INTO EYE MAY
IRRITATE.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.

-